

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. – 10. (canceled)

11. (new) A gearbox arrangement for a vehicle, comprising:

    a first gearbox section, wherein the first gearbox section comprises a first gearbox assembly;

    a second gearbox section, wherein the second gearbox section comprises a second gearbox assembly, and the first and second gearbox sections cooperate to form part of a lubricant sump; and

    a lubricant encapsulated at least partially in the first and second gearbox sections, wherein more lubricant is retained in a one of the first and second gearbox sections that is operating at a lower speed relative to an other of the first and second gearbox sections that is operating at a higher speed.

12. (new) The gearbox arrangement of claim 11, wherein

    the first gearbox assembly is a differential assembly, and the second gearbox assembly is a power take-off assembly;

    the differential assembly comprises a ring gear, and the ring gear rotates about an axis;

    the second gearbox section comprises a bearing plate defined by a plane; and

    the axis and the plane are parallel to one another.

13. (new) A gearbox arrangement of claim 11, comprising a separator, wherein the separator is mounted to at least one of the first and second gearbox sections, and the separator extends from the base of the gearbox arrangement up to at least the height of a gearbox shaft.

14. (new) The gearbox arrangement of claim 13, wherein the separator comprises a

return.

15. (new) The gearbox arrangement of claim 14, wherein the return is in the form of a through-hole.

16. (new) The gearbox arrangement of claim 14, wherein the return is in the form of a return channel.

17. (new) The gearbox arrangement of claim 14, comprising a housing seal, wherein the housing seal is interposed between the separator and the gearbox housing.

18. (new) The gearbox arrangement of claim 17 wherein the housing seal is a steel strip.

19. (new) The gearbox arrangement of claim 17 wherein the housing seal is rubber.

20. (new) The gearbox arrangement of claim 17 wherein the housing seal is plastic.

21. (new) The gearbox arrangement of claim 11, comprising a guide contained within at least one of the first and second gearbox sections.

22. (new) The gearbox arrangement of claim 11, comprising an air pump in communication with the main gearbox portion to force lubricant located in the main gearbox portion into a lubricant channel and into the first and second gearbox sections.

23. (new) The gearbox arrangement of claim 12, comprising:

- a separator comprising a return, wherein the separator is mounted to at least one of the first and second gearbox sections, and the separator extends from the base of the gearbox arrangement up to at least the height of a gearbox shaft;

- a guide contained within at least one of the first and second gearbox sections;

- an air pump in communication with the main gearbox portion to force lubricant located in the main gearbox portion into a lubricant channel and, ultimately, into the

first and second gearbox sections; and

a housing seal, wherein the housing seal is interposed between the separator and the gearbox housing.